Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road TWP Hwy 88 Beallsville OH 43716 Station Code :

Reported Date (Month Year):

May 2007

Application: 01L00091\*GD

ation: 6/18/2007

Sampling Station Description:

Final

	nter 1 for Continuo nter frequency of s	us, 2 for Composite, ampling		Reporting Lab : Pra-Det	Analyst :	Analyst :	
(1)	3	3	3	1	3	1	
(2)	1	1	1	999	1	999	
	(01045)	(01055) Manganese, Total (Mn) ug/l	(00530) Total Suspended Solids mg/1	(00045) Total Precipitation Inches	(00400) pH S.U.	(50050) Flow Rate MGD	
01		ug, 1	mg/ 1	0		0.001	
02				0		0.001	
03	310	30	2.4	0	7.4	0.001	
04				0	7 · · · · · · · · · · · · · · · · · · ·	0.001	
05		·		0.23		AN	a children and a second and a second second
06		·		0.23		AN	
07			//	0		0.001	
08	· · · · · · · · · · · · · · · · · · ·			0		0.001	
09	·····	······		0		0.001	
10		***************************************	THE THE THE PERSON NAMED IN THE PERSON NAMED I	0		0.001	(design contact that the contact the conta
11		·e-merentava du		0		0.001	
12				0		AN	
13	were the second state of t			0		AN AN	
14			e resta no consecuentimo de la particiona de la consecuentimo del consecuentimo de la consecuentimo del consecuentimo de la consecuentimo del consecuentimo de la consecuentimo de la consecuentimo de la consecuentimo del consecuentimo de la consecuentimo del consecuentimo de la consecue	0		0.001	40.400.000
15	380	120	14	0	7.3	0.001	A
16				0.82	,	0.001	
17				0.28		0.001	CONTRACTOR APPROXIMENTAL PROPERTY CONTRACTOR CONTRACTOR AND ADMINISTRATION OF A STATE OF
18				0.04	JIPAL-No. (1)	0.001	
19			Notes the sales were the sales with the sales were	0		AN	
20	•			0		AN	
21				0		0.001	
22				0		0.001	
23				0		0.001	
24	P		M. III. M. IIII. M. III. M. II	0		0.001	
25				0		0.001	
26				0		AN	
27	PHPAPPARA III.		vH	0		AN	HIII - HIII
28	the street or construction that the			0		AN	Property of the second second
29				0		0.001	
30				0	THE PARTY OF THE P	0.001	THE COLUMN TWO IS NOT
31				0		0.001	
OTAL	690	150	16.4	1.37	14.7	0.022	0
AVG	345	75	8.2	0.0442	N/A	0.001	-
VAX	380	120	14	0.82	7.4	0.001	
MIN	310	30	2.4	0	7.3	0.001	0

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date Report Completed:

Signature of Reporter:

Title of Reporter:

06/18/2007

Fred Blumling

Project Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

Page 1 of 1